European Journal of Pharmacology, 173 (1989) 241–243
Elsevier

Author index

Albin, R.L. and Gilman, S.
Parasagittal zonation of GABA-B receptors in molecular layer of rat cerebellum (173) 113
Arima, T., see Toide, K. (173) 133
Ashby, Jr., C.R., Edwards, E., Harkins, K. and Wang, R.Y.
Characterization of 5-hydroxytryptamine$_3$ receptors in the medial prefrontal cortex: a microiontophoretic study (173) 193

Baraban, J.M., see Stratton, K.R. (173) 235
Barraco, R.A., Phillis, J.W. and Simpson, L.L.
Cardiorespiratory effects of inositol hexakisphosphate following microinjections into the nucleus tractus solitarii (173) 75
Bhargava, H.N., Kremer, E.K., Gibbons, M.O., Philips, B.J., Driver, J.W. and Chou, M.
Stereospecific effects of a κ-opiate antagonist on the actions of morphine in morphine-tolerant rats (173) 159
Bhattacharyya, B., see Sokoll, M.D. (173) 27
Boja, J.W. and Kuhar, M.J.
[^{3}H]Cocaine binding and inhibition of [^{3}H]dopamine uptake is similar in both the rat striatum and nucleus accumbens (173) 215
Boksa, P., Quik, M., Mitchell, J.B., Collier, B., O'Neil, W. and Quirion, R.
Pharmacological activity of N-methyl-carbamylcholine, a novel acetylcholine receptor agonist with selectivity for nicotinic receptors (173) 93
Boyle, S.J., see Meecham, K.G. (173) 151
Bristow, D.R. and Martin, I.L.
GABA preincubation of rat brain sections increases [^{3}H]GABA binding to the GABA$_A$ receptor and compromises the modulatory interactions (173) 65

Caporali, M.G., see Popoli, P. (173) 211
Chang, Y.-F., see Gao, X.-M. (173) 197
Cherdchu, C., Deupree, J.D. and Hexum, T.D.
Binding sites for ^{125}I-neuropeptide Y (NPY) on membranes from bovine adrenal medulla (173) 115
Chou, M., see Bhargava, H.N. (173) 159
Collier, B., see Boksa, P. (173) 93
Copolov, D.L., see Dean, B. (173) 165
Cornfield, L.J., Nelson, D.L., Taylor, E.W. and Martin, A.R.
MDL 73005EF: partial agonist at the 5-HT$_{1A}$ receptor negatively linked to adenylate cyclase (173) 189
Crankshaw, D.
[Arg^8]Vasopressin-induced contractions of rabbit urinary bladder smooth muscle (173) 183

Dalziel, H.H., Machaly, M. and Sneddon, P.
Comparison of the purinergic contribution to sympathetic vascular responses in SHR and WKY rats in vitro and in vivo (173) 19
Daniel, E.E., see Kostka, P. (173) 35
Davies, L.R., see Sokoll, M.D. (173) 27
Dean, B. and Copolov, D.L.
Dopamine uptake by the human platelet: effects of dopamine receptor agonists (173) 165
Den Hertog, A., Van den Akker, J. and Nelemans, A.
Suramin and the inhibitory junction potential in taenia caeci of the guinea-pig (173) 207
Deupree, J.D., see Cherdchu, C. (173) 115
Dourish, C.T., Ruckert, A.C., Tattersall, F.D. and Iversen, S.D.
Evidence that decreased feeding induced by systemic injection of cholecystokinin is mediated by CCK-A receptors (173) 233
Dretchen, K.L., see Raines, A. (173) 11
Driver, J.W., see Bhargava, H.N. (173) 159
Dupont, A.G., see Schoors, D.F. (173) 109

Edwards, E., see Ashby, Jr., C.R. (173) 193
Elfellah, M.S. and Reid, J.L.
Regulation of β_1- and β_2-adrenoceptors following chronic treatment with β-adrenoceptor antagonists (173) 85
Eltze, M., Lambrecht, G. and Mutschler, E.
Cyproheptadine displays high affinity for muscarinic receptors but does not discriminate between receptor subtypes (173) 219

Fukui, H., see Inagaki, N. (173) 43

Gao, X.-M. and Chang, Y.-F.
Enhancement of benzodiazepine receptor binding by L-lysine is chloride-dependent and due to increase in binding affinity (173) 197
Gibbons, M.O., see Bhargava, H.N. (173) 159
Gilman, S., see Albin, R.L. (173) 113

Harkins, K., see Ashby, Jr., C.R. (173) 193
Henderson, T.R., see Raines, A. (173) 11
Hexum, T.D., see Cherdchu, C. (173) 115
Hidaka, K., see Terai, M. (173) 177
Hughes, J., see Meecham, K.G. (173) 151
Hunter, J.C., see Meecham, K.G. (173) 151

0014-2999/89/$03.50 © 1989 Elsevier Science Publishers B.V. (Biomedical Division)

Inagaki, N., Fukui, H., Taguchi, Y., Wang, N.P., Yamatodani, A. and Wada, H.
Characterization of histamine H_1-receptors on astrocytes in primary culture: [^{3}H]mepyramine binding studies (173) 43
Iverscn, S.D., see Dourish, C.T. (173) 233

Kalkman, H.O.
β-Adrenoceptor blockade in rats enhances the ambulation induced by 5-HT_{1A} receptor agonists (173) 121
Kobayashi, A., see Yoshida, T. (173) 143
Koch, M., see Krug, M. (173) 223
Korneyev, A.Y. and Meliksetyan, M.B.
Non-benzodiazepine, Ag-dependent, brain-specific binding sites for [^{3}H]β-carboline-3-carboxylic acid ethyl ester (173) 201
Kostka, P., Kwan, C.-Y. and Daniel, E.E.
Presynaptic and postjunctional muscarinic receptors in dog ileum: binding studies (173) 35
Kremer, E.K., see Bhargava, H.N. (173) 159
Krug, M., Koch, M., Schoof, E., Wagner, M. and Matthies, H.
Methylglucamine orotate, a memory-improving drug, prolongs hippocampal long-term potentiation (173) 223
Kuhar, M.J., see Boja, J.W. (173) 215
Kwan, C.-Y., see Kostka, P. (173) 35

Lambrecht, G., see Eltze, M. (173) 219
Liston, D., see Nielsen, J.A. (173) 53

Machaly, M., see Dalziel, H.H. (173) 19
Maigret, C., see Van Wimersma Greidanus, T.B. (173) 227
Martin, A.R., see Cornfield, L.J. (173) 189
Martin, I.L., see Bristow, D.R. (173) 65
Matthies, H., see Krug, M. (173) 223
McCaslin, P.P. and Morgan, W.W.
Increased response of cerebellar cGMP to kainate but not NMDA or quisqualate following barbital withdrawal from dependent rats (173) 127
Meecham, K.G., Boyle, S.J., Hunter, J.C. and Hughes, J.
An in vitro profile of activity for the (+) and (−) enantiomers of spiradoline and PD117302 (173) 151
Meliksetyan, M.B., see Korneyev, A.Y. (173) 201
Mena, E.E., see Nielsen, J.A. (173) 53
Miller, D.W., Yourick, D.L. and Tessel, R.E.
Antagonism of methoxyflurane-induced anesthesia in rats by benzodiazepine inverse agonists (173) 1
Mitchell, J.B., see Boksa, P. (173) 93
Morgan, W.W., see McCaslin, P.P. (173) 127
Mutschler, E., see Eltze, M. (173) 219

Nakamura, Y., see Terai, M. (173) 177
Nakazawa, K., see Yoshida, T. (173) 143
Nelemans, A., see Den Hertog, A. (173) 207
Nelson, D.L., see Cornfield, L.J. (173) 189
Nielsen, J.A., Mena, E.E., Williams, I.H., Nocerini, M.R. and Liston, D.
Correlation of brain levels of 9-amino-1,2,3,4-tetrahydroacridine (THA) with neurochemical and behavioral changes (173) 53
Nocerini, M.R., see Nielsen, J.A. (173) 53

O'Neil, W., see Boksa, P. (173) 93

Philips, B.J., see Bhargava, H.N. (173) 159
Phillis, J.W., see Barraco, R.A. (173) 75
Popoli, P., Caporali, M.G. and Scotti de Carolis, A.
Effects of SCH 23390 on thyrotropin-releasing hormone-induced behaviour in rabbits (173) 211

Quik, M., see Boksa, P. (173) 93
Quirion, R., see Boksa, P. (173) 93

Raines, A., Henderson, T.R. and Dretchen, K.L.
Effects of calcium channel blocking agents on neostigmine-induced fasciculations (173) 11
Reid, J.L., see Elfellah, M.S. (173) 85
Ronner, E., see Van Wimersma Greidanus, T.B. (173) 227
Ruckert, A.C., see Dourish, C.T. (173) 233

Schoof, E., see Krug, M. (173) 223
Schoors, D.F. and Dupont, A.G.
Effects of fenoldopam on α-methyl-p-tyrosine-stimulated prolactin secretion in conscious rats (173) 109
Scotti de Carolis, A., see Popoli, P. (173) 211
Simpson, L.L., see Barraco, R.A. (173) 75
Sneddon, P., see Dalziel, H.H. (173) 19
Sokoll, M.D., Davies, L.R., Bhattacharyya, B. and Zwagerman, D.Q.
Halothane and isoflurane alter acetylcholine activated ion channel kinetics (173) 27
Stratton, K.R., Worley, P.F. and Baraban, J.M.
Excitation of hippocampal neurons by stimulation of glutamate Q_p receptors (173) 235
Sugita, S., see Yoshida, T. (173) 143
Suh, H.H., see Tseng, L.L.F. (173) 171
Suzuki, S., see Yoshida, T. (173) 143

Taguchi, Y., see Inagaki, N. (173) 43
Tattersall, F.D., see Dourish, C.T. (173) 233
Taylor, E.W., see Cornfield, L.J. (173) 189
Terai, M., Hidaka, K. and Nakamura, Y.
Comparison of [^{3}H]YM-09151-2 with [^{3}H]spiperone and [^{3}H]raclopride for dopamine D-2 receptor binding to rat striatum (173) 177
Tessel, R.E., see Miller, D.W. (173) 1
Toide, K. and Arima, T.
Effects of cholinergic drugs on extracellular levels of acetylcholine and choline in rat cortex, hippocampus and striatum studied by brain dialysis (173) 133
Torn, M., see Van Wimersma Greidanus, T.B. (173) 227
Tseng, L.L.F. and Suh, H.H.
Intrathecal [Met^5]enkephalin antibody blocks analgesia induced by intracerebroventricular β-endorphin but not morphine in mice (173) 171

Van den Akker, J., see Den Hertog, A. (173) 207
Van der Kracht, S., see Van Wimersma Greidanus, T.B. (173) 227
Van der Wee, N.J.A., see Van Wimersma Greidanus, T.B. (173) 227
Van Wimersma Greidanus, T.B., Maigret, C., Torn, M., Ronner, E., Van der Kracht, S., Van der Wee, N.J.A. and Versteeg, D.H.G.
Dopamine D-1 and D-2 receptor agonists and antagonists and neuropeptide-induced excessive grooming (173) 227
Versteeg, D.H.G., see Van Wimersma Greidanus, T.B. (173) 227

Wada, H., see Inagaki, N. (173) 43
Wagner, M., see Krug, M. (173) 223
Wang, N.P., see Inagaki, N. (173) 43
Wang, R.Y., see Ashby, Jr., C.R. (173) 193
Williams, I.H., see Nielsen, J.A. (173) 53
Worley, P.F., see Stratton, K.R. (173) 235

Yamatodani, A., see Inagaki, N. (173) 43
Yoshida, T., Suzuki, S., Sugita, S., Kobayashi, A. and Nakazawa, K.
Effects of lithium on alterations of pharmacokinetics of imipramine and on the related changes of monoamines in rat brain (173) 143
Yourick, D.L., see Miller, D.W. (173) 1

Zwagerman, D.Q., see Sokoll, M.D. (173) 27